













HIGH GLOSS
UV BOARD
makes every moment bright






Pebble Beach

1142



Coral Pink

1143



Mouse Grey

1151



Warm Blue

1152



Midnight Blue

1153



Wasabi Green

1154



Warm Brown

1155



Plum

1156




Brown Cappuccino

1157




Flowery Wenge

3002



Highland Pine

3003




Classic Planked
Walnut

3009



New Country
Light

3013




Sapelli

3015



Mahogany

3024




Moldau
Acacia Light

3025




Moldau
Acacia Dark









3026




Elegant


3041









TESA Blue Stone 3398




TESA Black Marble 3410



TESA Golden Grey Marble 3411




TESA Novel Walnut 3461



TESA Oregon Oak 3463




TESA Sombre Chevron 3464




TESA Snug Chevron 3465




TESA Milk Statuary Marble 3467




TESA Virgin Oak 3471




TESA Auburn Oak 3472



TESA Carrara Marble 3473



TESA Grey Stone 3474



TESA Glacier Stone 3475



TESA Luminous Gold Marble 3478



Essence
OF TESA UV COATED PANELS

9 LAYERS OF HIGH GLOSS UV LACQUER	The Action TESA Ultra Violet Coated Panels are coated with 9 Layers of UV Lacquer rendering an impervious and permanent high gloss surface.
EG EXTERIOR GRADE CORE	Exterior Grade Core Panel used for high water resistance making it ideal for applications in moisture prone areas
 SCRATCH RESISTANT	1H Pass And 2H Light
103° GLOSS LEVEL	Transparent UV Lacquer renders 103°High Gloss level that does not lose its sheen with the passage of time. Increased sharpness & depth of decor.
 E FRIENDLY	Environment Friendly Panelling Solution with 0.05 mg/L of Formaldehyde Emission, Zero VOC & has no Benzene or lead content.
 RESISTANT TO ACIDS & ALKALIES	Resistant to most acids, alkalies & stains.
HARD WOOD	Hard Wood used for motherboards
 EASY WORKABILITY	Easy workability. Can be cut with any saw having a TCD/PCD Tip @ 4500 rpm. Can be easily fixed as would conventional panels.

